U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-8.

			e E C T	ION A DDC	PERTY INFOR	MATION	For Insurance Company Use:		
Λ.4	Duilding Owned - Name	Policy Number							
A1.	Building Owner's Nam	Policy Inditibel							
A2. 850	Building Street Addres	Company NAIC Number							
	City STONE HARBOR State NJ ZIP Code 08247								
	A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOTS: 67.02, 68.02, 69.02, 70.02 BLOCK: 85.21								
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) A5. Latitude/Longitude: Lat. 39° 3' 36.9" Long74° 45' 7.5" Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8 A8. For a building with a crawl space or enclosure(s), provide a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade 1513sq ft b) No. of permanent flood openings in the attached garage walls within 1.0 foot above adjacent grade N/A									
	c) Total net area of flo			N/A sq ir	!		openings in A9.b N/A sq in		
		SEC	TION B - FLOOD II	NSURANCE	RATE MAP (FIF	RM) INFORMATIO	N		
	NFIP Community Name			B2. County Na CAPE MAY	me		B3. State NJ		
B4.	Map/Panel Number	B5. Suffix	B6. FIRM Index Date 7/15/92	Effectiv	FIRM Panel e/Revised Date 7/15/92	B8. Flood Zone(s) A7	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 10'		
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? No Designation Date N/A OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)									
CF C	····	SECTIO	N C - BUILDING E	LEVATION	NEURMATION	SURVET REQUIR	RED)		
 C1. Building elevations are based on:									
a) T	op of bottom floor (inclu	ıding basement.	crawl space, or enclo	sure floor)	<u>7.2</u> ⊠ fe	eet 🔲 meters (Puer	rto Rico only)		
b)		•				eet meters (Puer	= :		
C)	Bottom of the lowes	st horizontal struc	ctural member (V Zon	es only)		et 🔲 meters (Puer			
d)	Attached garage (to	op of slab)			<u>N/A.</u>	eet 🔲 meters (Puer	rto Rico only)		
e)	Lowest elevation of (Describe type of e		uipment servicing the ments)	e building	<u>10.6</u> ⊠ fe	eet 🗌 meters (Puer	rto Rico only)		
f)	Lowest adjacent (fir		,			eet 🔲 meters (Puer			
g)	Highest adjacent (fi	nished) grade (H	IAG)		<u>8.3</u> ⊠ fe	eet 🔲 meters (Puer	rto Rico only)		
		SECTIO	ND - SURVEYOR	ENGINEER	OR ARCHITE	CT CERTIFICATIO	ON .		
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available.									
understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form.									
Certifier's Name THOMAS R. DENEKA					License Number	35828	_ Nover R Dent		
Title NJPLS Company Name STONE HARBOR SURVEYORS									
Addre	Address PO BOX 511 City STONE HARBOR State NJ ZIP Code 08247								
	Signature Date 5/9/07 Telephone 609-368-7451								

IMPORTANT: In these spaces, copy the corresponding information from Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
8501 PENNSYLVANIA AVENUE	
City STONE HARBOR State NJ ZIP Code 08247	Company NAIC Number
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICAT	ION (CONTINUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) to	puilding owner.
Comments HOUSE HAS 5 SMART VENTS COVERING 200 SQUARE FEET EACH.	
and the control of th	
Signature /// Date 5/9/07	
Mones R Dembe	
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZO	NE AO AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA of and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, E1. Provide elevation information for the following and check the appropriate boxes to show whether the elegrade (HAG) and the lowest adjacent grade (LAG).	enter meters. vation is above or below the highest adjacent
	neters above or below the HAG.
b) Top of bottom floor (including basement, crawl space, or enclosure) is	
(elevation C2.b in the diagrams) of the building is feet meters above or	below the HAG.
E3. Attached garage (top of slab) is	
E4. Top of platform of machinery and/or equipment servicing the building is	
ordinance? Yes No Unknown. The local official must certify this information in Section	
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (with or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.	nout a FEMA-issued or community-issued BFE)
Property Owner's Owner's Authorized Representative's Name	
Address City	State ZIP Code
	1
Signature Date	Telephone
Comments	
	Charleborn Kattachmonto
CECTION C. COMMUNITY INCORMATION (ORTIONA	Check here if attachments
SECTION G - COMMUNITY INFORMATION (OPTIONA The local official who is authorized by law or ordinance to administer the community's floodplain management or	
and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement u	sed in Items G8. and G9.
G1. The information in Section C was taken from other documentation that has been signed and sealed by	a licensed surveyor, engineer, or architect who
is authorized by law to certify elevation information. (Indicate the source and date of the elevation date	
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or	
G3. The following information (Items G4G9.) is provided for community floodplain management purposes	S
G4. Permit Number G5. Date Permit Issued G6. Date Certificate G5. 74 99 9-13-05 5-12	e Of Compliance/Occupancy Issued
G7. This permit has been issued for: New Construction Substantial Improvement	
G8. Elevation of as-built lowest floor (including basement) of the building: 11.90 🔯 feet 🗋 meters (PF	R) Datum MGVD: 79
G9. BFE or (in Zone AO) depth of flooding at the building site: 10.00 ☐ feet ☐ meters (PF	
	7 2 4 2 7
Local Official's Name MICHAEL KOOCHEMBERE Title CONSTRU	ICTION OFFICIAL
Community Name Telephone	
	368-6814
Signature Date 5 22 0	
Comments	
and the second s	


Building Photographs See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 8501 PENNSYLVANIA AVENUE	For Insurance Company Use: Policy Number
City STONE HARBOR State NJ ZIP Code 08247	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



FRONT, LEFT SIDE VIEW 4/25/07



REAR, RIGHT SIDE VIEW 4/25/07

Engineered Flood Openings Certificate To satisfy requirements of the National Flood Insurance Program

This certification must be submitted to, and kept on file by, the local jurisdiction's permit authority. A copy should be retained by the owner to demonstrate compliance in order to receive the best flood insurance rating.

The Smart VENT® and Flood VENT™ Foundation Flood Vent is certified as meeting the flood opening requirements for engineered openings as set forth in the Federal Emergency Management Agency's National Flood Insurance Program regulations (44 CFR 60.3(c)(5)) and ASCE 24-98, provided it is installed according to the those references, as summarized below. Flood openings are required in enclosures below elevated buildings, attached and detached garages, and accessory structures that meet the required limitations. For a copy of the report documenting this certification dated June 21, 2002, and a copy of the National Evaluation Service report NER 624, contact Smart VENT, Inc., at 877/441-8368 or visit:

www.smartvent.com

I do hereby certify that the Smart VENT® Louvered Foundation Flood Vent and the FloodVENT™ Insulated Foundation Flood Vent opening (s) is designed for installation in buildings, will allow for the automatic equalizing of hydrostatic flood forces on exterior walls by allowing for the automatic entry and exit of floodwater during floods up to and including the base (100-year) flood. One Smart VENT® or one FloodVENT™ for every 200 Sq.Ft. Of enclosed area will provide sufficient hydrostatic pressure equalization during a flood provided the installation limitations and instructions are followed as listed below. To Calculate the required number of Smart VENTS® or FloodVENTS™ divide the Square Feet of enclosed area by 200.

Example: A 2000 Sq.Ft. enclosed area requires 10 yents, 2000 Sq.Ft / 200 = 10 Vents

Signature Rol	et lu		OF REB
Title Pro	Ferricul Engineer		
Type of License Pro	ofessional Engineering		
License Number N.	JPE GE26637 J		6 2 foo. 2 .
*Project Name	and the state of t		The same of the sa
*Project Address			Our
*Date Submitted		-	Marin william
* Required Fields*			Professional Seal

Installation Limitations and Instructions

- The Smart VENT® or FloodVENT™ unit provides sufficient automatic equalization of hydrostatic pressure on walls and
 foundations of buildings located in flood hazard areas where the rate of rise is expected to be less than or approximately 5 feet
 per hour.
- Enclosed areas below otherwise elevated buildings, non-elevated attached and detached garages, and certain non-elevated
 accessory structures located in flood hazard areas are to be used solely for parking of vehicles, building access, or storage.
- 3. Each enclosed area shall have at least two flood openings, installed on different sides of the enclosed area.
- The bottom of the flood openings shall be no more than one foot above the adjacent finished ground level.
- Installation must be in accordance with manufacturer's instructions.

"REFERENCE ONLY" From FEMA TB 1.93 Guidance for Engineered Openings

Openings in Foundation Walls

National Flood Insurance Program (NFIP) Technical Bulletin TB 1-93

"In situations where it is not feasible or desirable to meet the openings criteria stated previously, a design professional (registered engineer or architect) may design and certify openings. This section provides guidance for such engineered designs. For openings not meeting all four requirements for non-engineered openings listed on page 2 and 3 of TB 1-93, certification by a registered professional engineer or architect is required. Such certification must be submitted to, and kept on file by, the community. These certifications must assure community officials that the openings are designed in accordance with accepted standards of practice. A certification may be affixed to the design drawings or submitted separately. It must include appropriate certification language, and the name, title, address, signature, type of license, license number, and professional scal of the certifier." (TB 1-93 is available through Smart VENT® or online at www.fema.gov)

Form: SMRT100 Rev.A July 2002

This form is the property of Smart VENT Inc. Modification or Duplication is Strictly Prohibited without authorization.