J.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

MAR 06 2018

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION					FOR INSUR	FOR INSURANCE COMPANY USE	
A1. Building Owner's Name					Policy Numb	oer:	
ESTILL, ROBERT							
A2. Building Street Box No.	Address (in	cluding Apt., Unit, Suit	e, and/o	Bldg. No.) o	r P.O. Route and	Company N	AIC Number:
11219 THIRD AVE	NUE						
City		, .		State		ZIP Code	
STONE HARB				New Jers		08247	
A3. Property Described BLOCK: 204.02 LC		nd Block Numbers, Ta	x Parcel	Number, Leg	gal Description, etc	;.) 	
A4. Building Use (e.g., Resider	tial, Non-Residential,	Addition,	Accessory, 6	etc.) RESIDENTIA	AL	
A5. Latitude/Longit	ude: Lat. <u>3</u>	9.0429	Long7	4.7698	Horizontal	Datum: NAD 1	927 🗵 NAD 1983
A6. Attach at least	2 photograp	hs of the building if the	e Certific	ate is being u	sed to obtain flood	l insurance.	
A7. Building Diagra	m Number	8					
A8. For a building v	with a crawls	pace or enclosure(s):					
a) Square foot	age of crawl	space or enclosure(s)		1	339.00 sq ft		
b) Number of p	ermanent flo	ood openings in the cra	awlspace	or enclosure	e(s) within 1.0 foot	above adjacent gra	de 7
c) Total net are	ea of flood op	penings in A8.b	1	400.00 sq in			
d) Engineered	flood openir	ngs? ⊠ Yes □ N	lo				
A9. For a building w	rith an attach	ned garage:					
		ned garage	;	321.00 sq ft			
		ood openings in the att				cent grade 2	
		penings in A9.b				p	
d) Engineered							
	SE	CTION B - FLOOD I	NSURA	NCE RATE	MAP (FIRM) INF	ORMATION	
B1. NFIP Communi	ty Name & C	Community Number		B2. County	Name		B3. State
BOROUGH OF STONE HARBOR- 345323				CAPE MAY		:	New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)
34009C0242	F	10-05-2017	10-05-		AE	8'	
P10 Indicate the s	ourse of the	Base Flood Elevation	(REE) d	ata or hase flo	and depth entered	in Item R9	
		Community Deter				iii teiii Bo.	
		used for BFE in Item B				☐ Other/Source:	
						ш .	
B12. Is the building	g located in a	a Coastal Barrier Reso	urces S	stem (CBRS) area or Otherwis	e Protected Area (C	DPA)? ☐ Yes ⊠ No
Designation [Date:		CBRS	☐ OPA			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

				FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, 11219 THIRD AVENUE	Policy N	Policy Number:				
y State ZIP Code				Company NAIC Number		
STONE HARBOR	New Jersey 082					
SECTION C – BUILDIN	IG ELEVATION INFORMAT	ION (SURVEY RI	QUIRE	D)		
C1. Building elevations are based on: Cons *A new Elevation Certificate will be required w	• —	ding Under Constru ng is complete.	iction*			
C2. Elevations – Zones A1–A30, AE, AH, A (with Complete Items C2.a–h below according to the Benchmark Utilized: GPS	BFE), VE, V1–V30, V (with Bf ne building diagram specified i Vertical Datum:	n Item A7. In Puert	AE, AR/A o Rico on	1-A30, AR/AH, AR/AO. ly, enter meters.		
Indicate elevation datum used for the elevation						
□ NGVD 1929 ☑ NAVD 1988 □ 0	· · · · · · · · · · · · · · · · · · ·	•••				
Datum used for building elevations must be the		FE.	Char	ck the measurement used.		
a) Top of bottom floor (including basement, continuous)	rawlenace or enclosure floor)					
	rawispace, or enclosure floor,			x feet ☐ meters		
b) Top of the next higher floor	aambar () / Zanaa anlı ()			x feet		
c) Bottom of the lowest horizontal structural rd) Attached garage (top of slab)	nember (v Zones only)					
e) Lowest elevation of machinery or equipme	ent servicing the building			対 feet		
(Describe type of equipment and location i	•			∏ meters		
f) Lowest adjacent (finished) grade next to b	•			∏ feet		
g) Highest adjacent (finished) grade next to b	• • •		<u> 7.40</u>	A loct		
h) Lowest adjacent grade at lowest elevation structural support				X feet ☐ meters		
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION						
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.						
Were latitude and longitude in Section A provided	by a licensed land surveyor?	⊠Yes □ No	⊠c	heck here if attachments.		
Certifier's Name THOMAS R. DENEKA	License Number 35828					
Title PLS				FEMIN R		
Company Name			-	Place		
HDG				Seal		
Address 701 WEST AVENUE SUITE 301				Here		
City OCEAN CITY	State New Jersey	ZIP Code 08226				
Signature Thomas R. Deneka	Date 01-31-2017	Telephone (609) 398-4477	Ext.			
Copy all pages of this Elevation Certificate and all att	achments for (1) community of	ficial, (2) insurance	agent/con	npany, and (3) building owner.		
Comments (including type of equipment and location C-2 E IS EXTERIOR HVAC VENTS SHOWN ARE SMART VENTS MODEL#	on, per C2(e), if applicable)					
	1540-510					
	1540-510					

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and 11219 THIRD AVENUE	d/or Bldg. No.) or P.0). Route and Box No.	Policy Number:
I -	State	ZIP Code	Company NAIC Number
	New Jersey	08247	
SECTION E – BUILDING EL FOR ZON	EVATION INFORM E AO AND ZONE A	IATION (SURVEY NOT (WITHOUT BFE)	REQUIRED)
For Zones AO and A (without BFE), complete Items E1 complete Sections A, B,and C. For Items E1–E4, use renter meters.	I–E5. If the Certificat natural grade, if avail	e is intended to support able. Check the measure	a LOMA or LOMR-F request, ement used. In Puerto Rico only,
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest a a) Top of bottom floor (including basement,	check the appropria adjacent grade (LAG	te boxes to show whethe).	er the elevation is above or below
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		feet mete	rs above or below the HAG.
crawlspace, or enclosure) is		feet mete	
E2. For Building Diagrams 6–9 with permanent flood o the next higher floor (elevation C2.b in	penings provided in		
the diagrams) of the building is		ifeet imete	
E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment	<u> </u>	feet	rs above or below the HAG.
servicing the building is		feet mete	rs above or below the HAG.
E5. Zone AO only: If no flood depth number is availabl floodplain management ordinance? Yes			ccordance with the community's certify this information in Section G.
SECTION F PROPERTY OW	NER (OR OWNER'S	REPRESENTATIVE) C	ERTIFICATION
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	ve who completes Sene statements in Sec	ections A, B, and E for Zetions A, B, and E are co	one A (without a FEMA-issued or rrect to the best of my knowledge.
Property Owner or Owner's Authorized Representative	s Name		
Address	City	S	tate ZIP Code
Signature	Date	e Te	elephone
Comments		1-7	
,			
			Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corr	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, S 11219 THIRD AVENUE	x No. Policy Number:	
City STONE HARBOR	State ZIP Code New Jersey 08247	Company NAIC Number
SECTIO	ON G - COMMUNITY INFORMATION (OPT	IONAL)
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	rdinance to administer the community's flood a Certificate. Complete the applicable item(s)	plain management ordinance can complete
G1. The information in Section C was tak engineer, or architect who is authoriz data in the Comments area below.)	en from other documentation that has been red by law to certify elevation information. (Ir	signed and sealed by a licensed surveyor, dicate the source and date of the elevation
G2. A community official completed Sect or Zone AO.	ion E for a building located in Zone A (withou	ut a FEMA-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for community floodplain m	nanagement purposes.
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued
(6-12-12-1	6(1.5(1.4	3/9/18
G7. This permit has been issued for:	【 New Construction ☐ Substantial Improve	ment
G8. Elevation of as-built lowest floor (including of the building:	g basement)	Maters Datum NAND 1988
G9. BFE or (in Zone AO) depth of flooding at	the building site: 8,00	▼ feet meters Datum NND 198€
G10. Community's design flood elevation:	10.00	feet meters Datum NAVO 1988
Local Official's Name MICHAEL KONCHE	Title WBERE (ON S	TRUCTION OFFICIAL
Community Name	Telephone	009. 368. 6814
Signature	Date 3	10
Comments (including type of equipment and load	cation, per C2(e), if applicable)	
		Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE


See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 11219 THIRD AVENUE			
City STONE HARBOR	State New Jersey	ZIP Code 08247	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



FRONT VIEW 1.26.18

Clear Photo One




Photo Two Caption LEFT SIDE VIEW 1.26.18

Clear Photo Two

Photo One Caption

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 & Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Ap 11219 THIRD AVENUE			
City	State	ZIP Code	Company NAIC Number
STONE HARBOR	New Jersey	08247	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three

Photo Three Caption REAR VIEW 1.26.18

Clear Photo Three



Photo Four

Photo Four Caption RIGHT SIDE VIEW 1.26.18

Clear Photo Four



ICC-ES Evaluation Report

ESR-2074*

Reissued February 2015

This report is subject to renewal February 2017.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com Info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2012, 2009 and 2006 International Building Code® (IBC)
- 2012, 2009 and 2006 International Residential Code® (IRC)
- 2013 Abu Dhabi International Building Code (ADIBC)^T

[†]The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow.

The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT®Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.6.2.2 of ASCE/SEI 24 for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24. Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with $\frac{1}{4}$ -inch-by- $\frac{1}{4}$ -inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

4.0 DESIGN AND INSTALLATION

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. The mounting straps allow mounting in masonry and concrete walls up to 12 inches (305 mm) thick. In order to comply with the engineered opening design principle noted in Section 2.6.2.2 of ASCE/SEI 24, the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m2) of enclosed area, except that the Stacking Model #1540-511 SmartVENT® FloodVENT® Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.
- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final

*Revised July 2015

Page 1 of 2

-			
			-
: :			