C.S. DEPARTIMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program OMB No. 1660-0008 Expiration Date: November 30, 2022

NOV 2 1.7972

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9:

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	, SEC	TION A - PROPERTY	INFOR	MATION	000 and		FOR INSUF	RANCE COMPANY USE
A1. Building Owns Edward Kennedy		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			11	***************************************	Policy Num	per:
A2. Building Stree Box No. 253 107th Street	t Address (in	cluding Apt., Unit, Suit	e, and/o	r Bldg. No.) o	r P.O. Route	and	Company N	AIC Number;
City Stone Harbor				State New Jer	sey		ZIP Code 08247	MPERPONING AND THE PROPERTY AND
A3. Property Desc Block 107.03 Lots		nd Block Numbers, Ta	x Parce	Number, Leg	gal Descriptio	on, etc.)		
A4. Building Use (e.g., Resider	ntial, Non-Residential,	Addition	, Accessory,	etc.) Resi	dential		2
A5. Latitude/Longi	tude: Lat. N	39°02'47.75"	Long. V	/ 074°45'59.1	1" Horiz	zontal Datu	m: NAD 1	927 X NAD 1983
A6. Attach at least	2 photograp	hs of the building if the	e Certific	ate is being u	sed to obtain	n flood insu	rance.	*
A7. Building Diagra	am Number	8 ·						
A8. For a building	with a crawls	space or enclosure(s):						
a) Square foo	tage of crawl	space or enclosure(s)	george and the scription of	1	451.00 sq ft			
b) Number of	permanent flo	ood openings in the cr	awlspace	e or enclosure	e(s) within 1.0	ofoot above	e adjacent gra	de 8
c) Total net ar	ea of flood or	penings in A8.b	1	600.00 sq in				
d) Engineered	flood openir	ngs? 🛛 Yes 🗌 N	lo					
A9. For a building v	vith an attach	ned garage:						
a) Square foot	age of attach	ned garage		N/A sq ft				
		ood openings in the att		,		e adjacent	grade N/A	
c) Total net are				N/A sq			физимпросостоем стоки	MERCONOLITICO (SIGNA MARIA MAR
d) Engineered		Spellerber on print	lo.	PROVINCE AND THE PROPERTY OF T				
, inginodica	nood oponii	go						
	SE	CTION B - FLOOD I	NSURA	NCE RATE	MAP (FIRM	INFORM.	ATION	
B1. NFIP Commun Borough of Stone F				B2. County Cape May	Name	,		B3. State New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	M Panel ective/ vised Date	B8. Flood Zone(s)	B9.	Base Flood El Zone AO, use	evation(s) Base Flood Depth)
34009C242	F	10-05-2017	10-03-2	.017	AL	0		
		Base Flood Elevation Community Deterr				tered in Iter	m B9:	***
					***************************************		1	
B11. Indicate eleva	ition datum u	ised for BFE in Item B	9: N	GVD 1929 [NAVD 19	88 🗌 0	ther/Source:	1000000 H.
B12. Is the building	located in a	Coastal Barrier Reso	urces Sy	stem (CBRS)	area or Oth	erwise Prot	ected Area (O	PA)? Yes 🗵 No
Designation [CBRS	□ OPA				
	E STATE OF THE PARTY OF THE PAR		,					
			Maria Maria		errettikkoltan kannata kantuskoltan kiloponia			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 253 107th Street	Policy Number:
City State ZIP Code Stone Harbor New Jersey 08247	Company NAIC Number
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY R	EQUIRED)
C1. Building elevations are based on: Construction Drawings* Building Under Construction Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puer Benchmark Utilized: PID# AH8988 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE. a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	uction*
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIF	ICATION
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by a land surveyor, engineer, or architect authorized by a certify that the information on this Certificate represents my best efforts to interpret the data available statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Were latitude and longitude in Section A provided by a licensed land surveyor?	y law to certify elevation information.
Certifier's Name Robert K. Sanchez Title Professional Land Surveyor	Place
Company Name CME Associates Address	Seal Here
203 South Main Street City State ZIP Code Cape May Court House New Jersey 08210	
Signature Date Telephone (609) 654-4440	Ext.
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance Comments (including type of equipment and location, per C2(e), if applicable) The lowest equipment visible at the time of the Survey was HVAC unit located outside the building Model# 1540-510 certified to provide 200 SF of flood protection each. Proj# M2100536.02 Revised number of Smart Flood Vents	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresp	anding information fr	om Section A	FOR INSTIRAN	CÉ COMPANY USE
Building Street Address (including Apt., Unit, Suite	AND THE RESIDENCE OF THE PROPERTY OF THE PROPE	CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE	Policy Number:	Andread desired desired and a second desired and a
253 107th Street	, and/or blug. No. / or F.	. Toute and Box 140.		
City Stone Harbor	State New Jersey	ZIP Code 08247	Company NAIC	Number
SECTION E - BUILDING	ELEVATION INFOR	MATION (SURVEY NO A (WITHOUT BFE)	T REQUIRED)	
For Zones AO and A (without BFE), complete Item complete Sections A, B,and C. For Items E1–E4, u enter meters.	s E1–E5. If the Certifica	ate is intended to suppor	t a LOMA or LOMR rement used. In Pu	-F request, erto Rico only,
E1. Provide elevation information for the following the highest adjacent grade (HAG) and the low a) Top of bottom floor (including basement,	and check the appropri est adjacent grade (LA	G).		above or below below the HAG.
crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is	ı			below the LAG.
E2. For Building Diagrams 6–9 with permanent flo the next higher floor (elevation C2 b in the diagrams) of the building is	ood openings provided in	Section A Items 8 and	, '	2 of Instructions), Delow the HAG.
E3. Attached garage (top of slab) is		feet me	ters above or	below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is	nt	feet me	ters above or	below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	ailable, is the top of the I	bottom floor elevated in n. The local official mus	accordance with the st certify this inform	e community's ation in Section G.
SECTION F - PROPERTY	OWNER (OR OWNER'	S REPRESENTATIVE)	CERTIFICATION	
The property owner or owner's authorized represe community-issued BFE) or Zone AO must sign her	ntative who completes S re. The statements in Se	Sections A, B, and E for ections A, B, and E are c	Zone A (without a F correct to the best o	EMA-issued or f my knowledge.
Property Owner or Owner's Authorized Representa	ative's Name			
Address	Cit	у	State	ZIP Code
Signature	Da	te	Telephone	The second secon
Comments				
			Check h	nere if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr	esponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S	uite, and/or Bldg, No.) or	P.O. Route and Box No.	Policy Number:
253 107th Street			
City Stone Harbor	State New Jersey	ZIP Code 08247	Company NAIC Number
	Tell of the second	FORMATION (OPTIONAL	
	AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUM	STREET OF THE PERSON NAMED	
The local official who is authorized by law or o Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, er G1. The information in Section C was tall engineer, or architect who is authorited at a in the Comments area below.)	nter meters.	ation that has been signed	and sealed by a licensed surveyor,
	tion E for a building locat	ed in Zone A (without a FE	MA-issued or community-issued BFE)
G3. The following information (Items G4	-G10) is provided for cor	nmunity floodplain manage	ment purposes.
G4. Permit Number	G5. Date Permit Issue	ed G6.	Date Certificate of
22-940	01/05/2	2	Compliance/Occupancy Issued
	and the same of th		
G7. This permit has been issued for:	New Construction	Substantial Improvement	
G8. Elevation of as-built lowest floor (including of the building:	ng basement)	✓ fe	et meters Datum MAUD88
	AE	- K X fe	et meters Datum NAVD (7
G9. BFE or (in Zone AO) depth of flooding a	t the building site:	And the second s	
G10. Community's design flood elevation:	Higher of BFE-	+2 or 11 \ fe	eet ☐ meters Datum NAND 88
Local Official's Name	(0,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1	Title Official / Flood	Plain Manager
Raymond Poverier	Coughinging	Telephone	1000
Community Name	101- 21	•	
Stone Harbor	609 - 36	Date	
Signature Ala	11/2	9/22	
Comments (including type of equipment and I	ocation, per C2(e), if app	licable)	
			• •
	•		
			Check here if attachments.

BUILDING PHOTOGRAPHS

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

See Instructions for Item A6.

	ELLANION OFICIALISM				
-	IMPORTANT: In these spaces, copy the corresp	onding information	from Section A.	FOR INSURANCE COMPANY USE	
-	Building Street Address (including Apt., Unit, Suite	and/or Bldg No) or	P.O. Route and Box No.	Policy Number:	
- 1		s, and/or blug. No./ or			
	253 107th Street			NAIC Number	
	City	State	ZIP Code	Company NAIC Number	
	Stone Harbor	New Jersey	08247		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

FRONT VIEW (08/25/2022) Photo One Caption

Clear Photo One



Photo Two Caption REAR VIEW (08/25/2022)

Clear Photo Two

BUILDING PHOTOGRAPHS

New Jersey

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Stone Harbor

Continuation Page

Real floir com V / 1 1 1 0				
IMPORTANT: In these spaces, copy the	corresponding information	on from Section A.	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., L			Policy Number:	
253 107th Street				
City	State	ZIP Code	Company NAIC Number	

08247

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption RIGHT SIDE VIEW (08/25/2022)

Clear Photo Three





ICC-ES Evaluation Report

ESR-2074

Reissued February 2021 Revised April 2021 This report is subject to renewal February 2023.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2021, 2018, 2015, 2012, 2009 and 2006 International Building Code[®] (IBC)
- 2021, 2018, 2015, 2012, 2009 and 2006 International Residential Code[®] (IRC)
- 2021, 2018 International Energy Conservation Code[®] (IECC)
- 2013 Abu Dhabi International Building Code (ADIBC)†

 $^{\dagger}\text{The ADIBC}$ is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is

fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with ¹/₄-inch-by-¹/₄-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs described in this report do not offer natural ventilation.

3.4 Flood Vent Sealing Kit:

The Flood Vent Sealing Kit Model #1540-526 is used with SmartVENT® Model #1540-520. It is a Homasote 440 Sound Barrier® (ESR-1374) insert with 21 – 2-inch-by-2-inch (51 mm x 51 mm) squares cut in it. See Figure 4.

4.0 DESIGN AND INSTALLATION

4.1 SmartVENT® and FloodVENT®:

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

With a minimum of two openings on different sides of each enclosed area.



- With a minimum of one FV for every 200 square feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.
- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

4.2 Flood Vent Sealing Kit

The Flood Vent Sealing Kit Model 1540-526 is used in conjunction with FloodVENT® Model #1540-520. When installed and tested in accordance with ASTM E283, the FV and Flood Vent Sealing Kit assembly have an air leakage rate of less than 0.2 cubic feet per minute per lineal foot (18.56 l/min per lineal meter) at a pressure differential of 1 pound per square foot (50 Pa) based on 12.58 lineal feet (3.8 lineal meters) contained by the Flood Vent Sealing Kit.

5.0 CONDITIONS OF USE

The Smart Vent® FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent® FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.

5.2 The Smart Vent® FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

- 6.1 Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised February 2021).
- 6.2 Test report on air infiltration in accordance with ASTM E283.

7.0 IDENTIFICATION

- 7.1 The Smart VENT® models and the Flood Vent Sealing Kit described in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).
- 7.2 The report holder's contact information is the following:

SMART VENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

TABLE 1-MODEL SIZES

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT®	1540-520	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT®	1540-510	15 ³ / ₄ " X 7 ³ / ₄ "	200
FloodVENT® Overhead Door	1540-524	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT® Overhead Door	1540-514	15 ³ / ₄ " X 7 ³ / ₄ "	200
Wood Wall FloodVENT®	1540-570	14" X 8 ³ / ₄ "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 ³ / ₄ "	200
SmartVENT® Stacker	1540-511	16" X 16"	400
FloodVent® Stacker	1540-521	16" X 16"	400

For SI: 1 inch = 25.4 mm; 1 square foot = m²




FIGURE 1-SMART VENT: MODEL 1540-510