### J.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008

Expiration Date: November 30, 2022

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION					FOR INSU	IRANCE COMPANY USE		
A1. Building Owner's Name Scott & Deborah Rutter					Policy Nur	mber:		
222 104th Street	et Address (ir	ncluding Apt., Unit, Su	ite, and/o	or Bldg. No.)	or P.O. F	Route and	Company	NAIC Number:
City Stone Harbor				State New Je			ZIP Code 08247	
A3. Property Des Block 103.03 Lots	cription (Lot a	and Block Numbers, T	ax Parce	el Number, Le	gal Desc	cription, e	tc.)	
A4. Building Use	(e.g., Reside	ntial, Non-Residential,	Addition	, Accessory,	etc.)	Residenti	al	
A5. Latitude/Long	itude: Lat.	N 39°02'55.42"	Long. V	V 074°45'48.	54"	Horizon	al Datum: NAD	1927 X NAD 1983
A6. Attach at leas	t 2 photograp	ohs of the building if th	e Certific	cate is being	used to c	obtain floo	od insurance.	all W Rose had
A7. Building Diagr							AUG 1	4 7070
A8. For a building	with a crawls	space or enclosure(s):					7,00	The V has V
		lspace or enclosure(s)	35		1211.30		BOROUGHOFS	
b) Number of	permanent fl	ood openings in the cr	awlspac	e or enclosur	e(s) with	in 1.0 foo	t above adjacent gr	ade 9
		penings in A8.b						
d) Engineered	d flood openi	ngs? ⊠Yes □ I	Vo					
A9. For a building	with an attacl	ned garage:						
a) Square foo	tage of attacl	ned garage		N/A sq f	t			
b) Number of	permanent fl	ood openings in the at	tached o	arage within	1.0 foot :	above adi	acent grade N/A	
		penings in A9.b		N/A so		above au	deent grade 14/A	
d) Engineered		-	٠ ام					
	SE	CTION B - FLOOD	INSURA	NCE RATE	MAP (F	IRM) INF	ORMATION	
B1. NFIP Commun Borough of Stone I	ity Name & C	Community Number		B2. County	Name			B3. State
			γ	Cape May				New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIF	RM Panel ective/	B8. Flo Zone(s	od )	B9. Base Flood E	Elevation(s) e Base Flood Depth)
34009C242	F	10-05-2017	10-05-2	vised Date 2017	AE	,	8	e base Flood Depth)
							0	
B10. Indicate the s	ource of the	Base Flood Elevation	(BFE) da	ata or base flo	ood dept	h entered	in Item B9:	
☐ FIS Profile	× FIRM	Community Determent	mined [	Other/Sou	rce:			
B11. Indicate eleva	ation datum u	sed for BFE in Item B	9: 🗌 N	GVD 1929	× NAV	D 1988	Other/Source:	
B12. Is the building	located in a	Coastal Barrier Reso	urces Sy	stem (CBRS	) area or	Otherwis	e Protected Area (	DPA)? ☐ Yes ⊠ No
Designation [	Date:			☐ OPA		3,0		Zi A): [] Tes [X] No

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and 222 104th Street	or Bldg. No.) or P.O. Roul	le and Box No.	Policy Number:	
•	tate ZIP ( lew Jersey 0824		Company NAIC Number	
SECTION C – BUILDING E	LEVATION INFORMAT	ION (SURVEY RE	EQUIRED)	
*A new Elevation Certificate will be required when C2. Elevations – Zones A1–A30, AE, AH, A (with BFE	construction of the buildir	E), AR, AR/A, AR/	/AE, AR/A1–A30, AR/AH, AR/AO.	
Complete Items C2.a-h below according to the bit Benchmark Utilized: PID# DP1524	uilding diagram specified i Vertical Datum:		o Rico only, enter meters.	
Indicate elevation datum used for the elevations in	n items a) through h) below			
☐ NGVD 1929 ☑ NAVD 1988 ☐ Other Datum used for building elevations must be the sa	er/Source:			
			Check the measurement used.	
<ul> <li>a) Top of bottom floor (including basement, craw</li> </ul>	Ispace, or enclosure floor)		7.2 X feet  meters	
b) Top of the next higher floor			11.1 X feet T meters	
c) Bottom of the lowest horizontal structural mem	ber (V Zones only)		N/A ∑ feet ☐ meters	
d) Attached garage (top of slab)			N/A 🔀 feet 🗌 meters	
e) Lowest elevation of machinery or equipment s     (Describe type of equipment and location in Co	ervicing the building omments)		11.1 🗵 feet 🗌 meters	
f) Lowest adjacent (finished) grade next to build	ing (LAG)		7.1 🗵 feet 🗌 meters	
g) Highest adjacent (finished) grade next to build	ling (HAG)		7.6 🗵 feet 🔲 meters	
h) Lowest adjacent grade at lowest elevation of c structural support	deck or stairs, including		6.8 🗵 feet 🔲 meters	
SECTION D - SURVEYO	R. ENGINEER. OR ARC	CHITECT CERTIF	ICATION	
This certification is to be signed and sealed by a land I certify that the information on this Certificate represe statement may be punishable by fine or imprisonment	surveyor, engineer, or arc	hitect authorized by	v law to certify elevation information	
Were latitude and longitude in Section A provided by a			∑ Check here if attachments.	
Certifier's Name Steven C. Woodrow	License Number 27514			
Title Professional Land Surveyor			Place	
Company Name				
Dante Guzzi engineering Associates Address			Seal	
418 Stokes Road			Here	
City Medford	State New Jersey	ZIP Code 08055		
Signature tim Culcolin	Date 08-12-2020	Telephone (609) 654-4440	Ext.	
Copy all pages of this Elevation Certificate and all attach	ments for (1) community of	fficial, (2) insurance	agent/company, and (3) building owner.	
Comments (including type of equipment and location, The lowest equipment visible at the time of the Survey #1540-520 certified to provide 200 SF of flood protections.)	was the furnace located i	inside the building.	All vents are "SMART VENT" Model	
DGEA Proj# C-18-031				

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresp	onding information fro	om Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite 222 104th Street	e, and/or Bldg. No.) or P.	O. Route and Box No.	Policy Number:
City Stone Harbor	State New Jersey	ZIP Code 08247	Company NAIC Number
SECTION E - BUILDING FOR 2	G ELEVATION INFORM ZONE AO AND ZONE		REQUIRED)
For Zones AO and A (without BFE), complete Iten complete Sections A, B,and C. For Items E1–E4, enter meters.			
E1. Provide elevation information for the following the highest adjacent grade (HAG) and the lov a) Top of bottom floor (including basement,			er the elevation is above or below
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		feet	ers above or below the HAG.
crawlspace, or enclosure) is		feet	
E2. For Building Diagrams 6–9 with permanent flether next higher floor (elevation C2.b in the diagrams) of the building is	ooo openings provided ir	Section A items 8 and/o $\square$	
E3. Attached garage (top of slab) is		[] feet [] mete	ers 🔲 above or 🗋 below the HAG.
E4. Top of platform of machinery and/or equipme servicing the building is	ent	[] feet [] mete	ers above or below the HAG.
E5. Zone AO only: If no flood depth number is av floodplain management ordinance?			ccordance with the community's certify this information in Section G.
SECTION F - PROPERTY	OWNER (OR OWNER	S REPRESENTATIVE) C	ERTIFICATION
The property owner or owner's authorized represe community-issued BFE) or Zone AO must sign he	entative who completes Sere. The statements in Se	Sections A, B, and E for Zections A, B, and E are co	one A (without a FEMA-issued or prect to the best of my knowledge.
Property Owner or Owner's Authorized Represen	tative's Name		
Address	Cit	y S	State ZIP Code
Signature	Da	ite T	elephone
Comments			
			Check here if attachments.

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corre	sponding information f	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Su	Policy Number:		
222 104th Street			
City	State	ZIP Code	Company NAIC Number
Stone Harbor	New Jersey	08247	
SECTIO	N G - COMMUNITY INF	ORMATION (OPTIONAL	)
The local official who is authorized by law or on Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete the	e community's floodplain me a applicable item(s) and si	anagement ordinance can complete gn below. Check the measurement
G1. Mathematical The information in Section C was takengineer, or architect who is authorized that a in the Comments area below.)			
G2. A community official completed Secti or Zone AO.	on E for a building locate	ed in Zone A (without a FE	MA-issued or community-issued BFE)
G3. The following information (Items G4-	G10) is provided for com	nmunity floodplain manage	ment purposes.
G4. Permit Number	G5. Date Permit Issued	d G6.	Date Certificate of
19-13403	09/17/19	,	Compliance/Occupancy Issued 8/19/プップーン
G7. This permit has been issued for:	New Construction S	Substantial Improvement	, .
G8. Elevation of as-built lowest floor (including of the building:	g basement)	<b>I</b>	et metersDatum
G9. BFE or (in Zone AO) depth of flooding at t			et 🗌 meters Datum <u>NAUD 88</u>
G10. Community's design flood elevation:	Higher of	FE+2 or 1 × fe	et 🗌 meters Datum 🖊 🗚 🕽 8 🤻
Local Official's Name Raymond Poudrier	Construction	Title  n Official / Floor Telephone	1 Plain Manager
Raymond Poudrier Community Name Borough of Stone Harbor Signature	60	Telephone 9 - 368 - 68/4	7 11 3
Signature 2	رام	Date	
Comments (including type of equipment and loc	8 / / cation, per C2(e), if applie	14/2020	
the second transfer of equipment and lead	sation, per oz(e), ii appir	od bio,	
			ii.
			}
			İ
			Check here if attachments

### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including 222 104th Street	Apt., Unit, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
Stone Harbor	New Jersey	08247	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW (08/10/2020) Clear Photo One




Photo Two

Photo Two Caption REAR VIEW (08/10/2020)

Clear Photo Two

### **BUILDING PHOTOGRAPHS**

Continuation Page

New Jersey

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy	y the corresponding informati	on from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Ap 222 104th Street	ot., Unit, Suite, and/or Bldg. No.	or P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number

08247

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption RIGHT SIDE VIEW (08/10/2020)

**ELEVATION CERTIFICATE** 

Stone Harbor

Clear Photo Three




Photo Four Caption LEFT SIDE VIEW (08/10/2020)

Clear Photo Four



# **ICC-ES Evaluation Report**

**ESR-2074** 

Reissued February 2019

This report is subject to renewal February 2021.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

**DIVISION: 08 00 00—OPENINGS** 

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

**EVALUATION SUBJECT:** 

SMART VENT<sup>6</sup> AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

#### 1.0 EVALUATION SCOPE

#### Compliance with the following codes:

- 2018, 2015, 2012, 2009 and 2006 International Building Code<sup>®</sup> (IBC)
- 2018, 2015, 2012, 2009 and 2006 International Residential Code<sup>®</sup> (IRC)
- 2018 International Energy Conservation Code® (IECC)
- 2013 Abu Dhabi International Building Code (ADIBC)<sup>†</sup>

<sup>1</sup>The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

#### Properties evaluated:

- Physical operation
- Water flow

#### **2.0 USES**

The Smart Vent<sup>®</sup> units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

#### 3.0 DESCRIPTION

#### 3.1 General:

When subjected to rising water, the Smart Vent<sup>®</sup> FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces.

Each unit is fabricated from stainless steel. Smart Vent<sup>®</sup> Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT<sup>®</sup> Stacking Model #1540-511 and FloodVENT<sup>®</sup> Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

#### 3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

#### 3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with \$^1/4\$-inch-by-\$^1/4\$-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

### 3.4 Flood Vent Sealing Kit:

The Flood Vent Sealing Kit Model #1540-526 is used with SmartVENT® Model #1540-520. It is a Homasote 440 Sound Barrier® (ESR-1374) insert with 21 – 2-inch-by-2-inch (51 mm x 51 mm) squares cut in it. See Figure 4.

#### 4.0 DESIGN AND INSTALLATION

#### 4.1 SmartVENT® and FloodVENT®:

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square

- feet '(18.6' m²) of enclosed area, except that the SmartVENT<sup>®</sup> Stacking Model #1540-511 and FloodVENT<sup>®</sup> Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.
- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

#### 4.2 Flood Vent Sealing Kit

The Flood Vent Sealing Kit Model 1540-526 is used in conjunction with FloodVENT<sup>®</sup> Model #1540-520. When installed and tested in accordance with ASTM E283, the FV and Flood Vent Sealing Kit assembly have an air leakage rate of less than 0.2 cubic feet per minute per lineal foot (18.56 I/min per lineal meter) at a pressure differential of 1 pound per square foot (50 Pa) based on 12.58 lineal feet (3.8 lineal meters) contained by the Flood Vent Sealing Kit.

#### 5.0 CONDITIONS OF USE

The Smart Vent<sup>©</sup> FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent<sup>®</sup> FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern. 5.2 The Smart Vent<sup>®</sup> FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

#### 6.0 EVIDENCE SUBMITTED

- 6.1 Data in accordance with the tCC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised October 2017).
- **6.2** Test report on air infiltration in accordance with ASTM E283.

#### 7.0 IDENTIFICATION

- 7.1 The Smart VENT<sup>©</sup> models and the Flood Vent Sealing Kit recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).
- 7.2 The report holder's contact information is the following:

SMART VENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

**TABLE 1-MODEL SIZES** 

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT®	1540-520	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
SmartVENT <sup>®</sup>	1540-510	$15^3/_4$ " $\times 7^3/_4$ "	200
FloodVENT® Overhead Door	1540-524	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
SmartVENT® Overhead Door	1540-514	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
Wood Wall FloodVENT®	1540-570	14" X 8 <sup>3</sup> / <sub>4</sub> "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 <sup>3</sup> / <sub>4</sub> "	200
SmartVENT® Stacker	1540-511	16" X 16"	400
FloodVent <sup>®</sup> Stacker	1540-521	16" X 16"	400

For SI: 1 inch = 25.4 mm; 1 square foot = m2




FIGURE 1-SMART VENT: MODEL 1540-510