U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION						FOR INSUR	RANCE COMPANY USE
A1. Building Owner's Name Roger Messina						Policy Num	ber:
A2. Building Street Box No. 11801 Paradise Dri		cluding Apt., Unit, Suit	te, and/o	r Bldg. No.) o	or P.O. Route and	Company N	IAIC Number:
City Stone Harbor				State New Jer	•	ZIP Code 08247	
A3. Property Desc Block 209 Lots 29		ind Block Numbers, Ta	ax Parce	Number, Le	gal Description, e	tc.)	
		ntial, Non-Residential,		, Accessory,	etc.) Residenti	ial	
A5. Latitude/Longit	tude: Lat. N	l 39°02'23.61"	Long. V	V 074°46'21.8	36" Horizonta	al Datum: 🔲 NAD 1	927 × NAD 1983
A6. Attach at least	2 photograp	hs of the building if the	e Certific	cate is being i	used to obtain floo	od insurance.	
A7. Building Diagra	am Number	8					
A8. For a building	with a crawls	space or enclosure(s):					
a) Square foot	age of crawl	Ispace or enclosure(s)			2058.00 sq fl		
b) Number of p	ermanent flo	ood openings in the cr	awispac	e or enclosur	e(s) within 1.0 foo	t above adjacent gra	ıde 10
c) Total net are	ea of flood o	penings in A8.b	2	2000.00 sq ir	1		
d)- Engineered	flood openir	ngs? 🗵 Yes 🗀 N	10				
A9. For a building w	vith an attach	ned garage:					
		ned garage		543.00 sq fl	ł		
		ood openings in the att				iocent arado 3	
			laciicu y			Jaceni grade 3	
c) Total net are				600.00 sq	in		
d) Engineered	flood openin	gs? 🗵 Yes 🗌 N	io				
<u> </u>	SE	CTION B - FLOOD I	NSURA	NCE RATE	MAP (FIRM) INF	ORMATION	
B1. NFIP Communi	ty Name & C	Community Number		B2. County			B3. State
Borough of Stone H	larbor #3452 ficod	42		Cape May			New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)
340090242	F	10-05-2017	10-05-2		AE	9	
B10, Indicate the so	ource of the	Base Flood Elevation	(BFE) da	ata or base flo	ood depth entered	in Item B9:	
FIS Profile	⊠ FIRM	Community Determined	mined [☐ Other/Sou	rce:		
B11. Indicate eleva	tion datum u	sed for BFE in Item B	9: 🔲 N	GVD 1929	⊠ NAVD 1988	Other/Source:	
B12. Is the building	located in a	Coastal Barrier Reso	urces Sy	stem (CBRS) area or Otherwi:	se Protected Area (C	PA)? ☐ Yes ⊠ No
Designation D	ate:	🗆	CBRS	☐ OPA			
٠.							
Situro)					<u>.</u>		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.				FOR INSURANCE COMPANY USE			
11801 Paradise Drive					Policy Number:		
City Stat Stone Harbor New	120 juli	IP Code 8247	Comp	any NAIC I	Number		
SECTION C – BUILDING ELI	EVATION INFORM	IATION (SURVEY R	EQUIR	ED)			
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when concern the concern that the concern th	onstruction of the bu	BFE), AR, AR/A, AR	/AE, AR	/A1-A30, /	ned Construction AR/AH, AR/AO. meters.		
Benchmark Utilized: PID# DP1541	Vertical Datu	ım: <u>NAVD 1988</u>					
Indicate elevation datum used for the elevations in it □ NGVD 1929 ☑ NAVD 1988 ☐ Other/S	Source:						
Datum used for building elevations must be the sam	e as that used for th	e BFE.	Ch	eck the me	easurement used.		
a) Top of bottom floor (including basement, crawlsp	ace, or enclosure flo	oor)	7.4	★ feet	meters		
b) Top of the next higher floor		***************************************	11.1	× feet	meters		
c) Bottom of the lowest horizontal structural membe	r (V Zones only)	***************************************	N/A	× feet	meters		
d), Attached garage (top of slab)		************************	7.2	× feet	meters		
e) Lowest elevation of machinery or equipment servage (Describe type of equipment and location in Com	vicing the building ments)		11.4	× feet	meters		
f) CLowest adjacent (finished) grade next to building	(LAG)	No. of Contract Contr	6.9	\times feet	meters		
g) Highest adjacent (finished) grade next to building	(HAG)	***************************************	7.0	× feet	meters		
h) Lowest adjacent grade at lowest elevation of dec	k or stairs, including		6.6	× feet	meters		
SECTION D - SURVEYOR,	ENGINEER, OR A	RCHITECT CERTIF	CATIO	N			
This certification is to be signed and sealed by a land sur I certify that the information on this Certificate represents statement may be punishable by fine or imprisonment un	my best efforts to in	terpret the data availa	law to	certify elev	ation information. hat any false		
Were latitude and longitude in Section A provided by a lic	ensed land surveyo	r? ⊠Yes □No	\times	Check here	e if attachments.		
Certifier's Name	License Number 27514						
Title Professional Land Surveyor				D	ace		
Company Name Dante Guzzi engineering Associates					eal		
Address 418 Stokes Road				9.75	ere		
City Medford	State New Jersey	ZIP Code 08055					
Signature Lew C. Worker	Date 10-13-2020	Telephone (609) 654-4440	Ext.				
Copy all pages of this Elevation Certificate and all attachme	nts for (1) community	official, (2) insurance	agent/co	ompany, an	d (3) building owner.		
Comments (including type of equipment and location, per The lowest equipment visible at the time of the Survey wa Model# 1540-520 in the garage & 10 Model#1540-510 in	s the HVAC unit loc	cated outside the build					
DGEA Proj# C-19-103							

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: I	n these spaces, copy the c	corresponding information f	rom Section A.		FOR INSURANCE COMPANY	USE
11801 Paradise		it, Suite, and/or Bldg. No.) or I	P.O. Route and Box	No.	Policy Number:	
City Stone Harbor		State New Jersey	ZIP Code 08247		Company NAIC Number	
134.1		ILDING ELEVATION INFOI FOR ZONE AO AND ZONE			REQUIRED)	
For Zones AO complete Section enter meters.	and A (without BFE), comple	ete Items E1-E5. If the Certific	cate is intended to su	upport a l	LOMA or LOMR-F request, nent used. In Puerto Rico only,	
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).a) Top of bottom floor (including basement,						
crawis b), Top of	pace, or enclosure) is bottom floor (including baser	- -		meters	above or below the H	AG.
crawls	pace, or enclosure) is			meters		
the next hi	ig Diagrams 6–9 with permailigher floor (elevation C2.b in ms) of the building is	nent 11000 openings provided	,,, , ,	and/or s	e (see pages 1-2 of Instructions) above or below the H	
	garage (top of slab) is		feet [meters	above or below the H	AG.
E4. <u>沃</u> op of plat servicing th	tform of machinery and/or eq he building is	quipment	feet [meters	above or below the H	AG.
		er is available, is the top of the Yes No Unknow			ordance with the community's ertify this information in Section	G.
	SECTION F - PROF	PERTY OWNER (OR OWNER	R'S REPRESENTAT	IVE) CEF	RTIFICATION	
The property ov community-issu	wner or owner's authorized re ted BFE) or Zone AO must s	representative who completes sign here. The statements in §	Sections A, B, and I Sections A, B, and E	E for Zon	e A (without a FEMA-issued or ect to the best of my knowledge.	
Property Owner	r or Owner's Authorized Rep	presentative's Name				
Address dir		С	City	Stat	te ZIP Code	
Signature		D	Pate	Tele	phone	
Comments						
ртоург	dour source TEEL or					
6; (y 4 (a ≭) ₁ ,						
Tress						
विकास स्थापन						
1 ← #1	ng stade (1944) Military sta					
\$ 42 B					Check here if attachmer	nts.

ELEVATION CERTIFICATE

 $_{\mathcal{M}}\mathbb{F}_{0\ldots}$

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corre	sponding information	n from Section A.		FOR INSURANCE COMPANY USE
Building Street Address (Including Apt., Unit, Su	Policy Number:			
11801 Paradise Drive				
City Stone Harbor	State New Jersey	ZIP Code 08247		Company NAIC Number
		NFORMATION (OPTIO	MAI)	
· · · · · · · · · · · · · · · · · · ·	net.			
The local official who is authorized by law or ord Sections A, B, C (or E), and G of this Elevation used in Items G8-G10. In Puerto Rico only, ent	Certificate. Complete t	he community's floodph the applicable item(s) a	ain mar nd sìgn	nagement ordinance can complete below. Check the measurement
G1. The information in Section C was take engineer, or architect who is authorized data in the Comments area below.)	en from other documented by law to certify elev	ntation that has been signation information. (Indi	gned an icate the	nd sealed by a licensed surveyor, e source and date of the elevation
G2	on E for a building loca	ited in Zone A (without	a FEMA	A-issued or community-issued BFE)
G3. The following information (Items G4–0	310) is provided for co	mmunity floodplain ma	nageme	ent purposes.
G4. Permit Number	G5. Date Permit Issu	led		Pate Certificate of compliance/Occupancy Issued
19-13479	10/30/19		1	1/3/2020
		Substantial Improvement	ent	7 /
G8. Elevation of as-built lowest floor (including		1 1		☐ meters Datum NAVD 88
G9. BFE or (in Zone AO) depth of flooding at the			_	meters Datum NAVD 88
G10. Community's design flood elevation:			feet	meters Datum NAVD 88
Local Official's Name		Title		
Raymond Poudrier Community Name	Construct	ion official / i	Flood	Plain Manager
Stone Harbor		- 368-1814		
Signature Al Signature	[0	Date		·
Comments (Including type of equipment and local	ation, per C2(e), if app	licable)		
and the second				
massif				
				☐ Check here if attachments.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

11801 Paradise Drive

City State ZIP Code Stone Harbor New Jersey 08247

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




Photo One Caption FRONT VIEW (10/05/2020)

ELEVATION CERTIFICATE

Clear Photo One




Photo Two Caption REAR VIEW (10/05/2020)

Clear Photo Two

or For **ELEVATION CERTIFICATE**

BUILDING PHOTOGRAPHS

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

			Expiration Bate. Hotolibor 00, 2022
IMPORTANT: In these spaces, copy	the corresponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Ap 11801 Paradise Drive	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Stone Harbor	New Jersey	08247	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show if foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption RIGHT SIDE VIEW (10/05/2020)

Clear Photo Three




Photo Four Caption LEFT SIDE VIEW (10/05/2020)

Clear Photo Four



ICC-ES Evaluation Report

ESR-2074

Reissued February 2019

This report is subject to renewal February 2021.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2018, 2015, 2012, 2009 and 2006 International Building Code[®] (IBC)
- 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2018 International Energy Conservation Code® (IECC)
- 2013 Abu Dhan International Building Code (ADIBC)†

†The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in the report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General Dhoby

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, 2 the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces.

Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with \$^{1}_{4}-inch-by- $^{1}_{4}$ -inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

3.4 Flood Vent Sealing Kit:

The Flood Vent Sealing Kit Model #1540-526 is used with SmartVENT® Model #1540-520. It is a Homasote 440 Sound Barrier® (ESR-1374) insert with 21 – 2-inch-by-2-inch (51 mm x 51 mm) squares cut in it. See Figure 4.

4.0 DESIGN AND INSTALLATION

4.1 SmartVENT® and FloodVENT®:

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.

Below the base flood elevation.

· · · · · · · · · · · ·

■ With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

4.2 Flood Vent Sealing Kit

The Flood Vent Sealing Kit Model 1540-526 is used in conjunction with FloodVENT® Model #1540-520. When installed and tested in accordance with ASTM E283, the FV_{IC}and Flood Vent Sealing Kit assembly have an air leakage rate of less than 0.2 cubic feet per minute per lineal foot (18.56 l/min per lineal meter) at a pressure differential of 1 pound per square foot (50 Pa) based on 12.58 lineal feet (3.8 lineal meters) contained by the Flood Vent Sealing Kit.

5.0 CONDITIONS OF USE

leak fin

2. 19

MARKET CO.

7 Si

The Smart Vent[®] FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent® FVs must be installed in accordance with this nt report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.

5.2 The Smart Vent® FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

- 6.1 Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised October 2017).
- 6.2 Test report on air infiltration in accordance with ASTM E283.

7.0 IDENTIFICATION

- 7.1 The Smart VENT® models and the Flood Vent Sealing Kit recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).
- 7.2 The report holder's contact information is the following:

SMART VENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

TABLE 1---MODEL SIZES

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT®	1540-520	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT [®]	1540-510	15 ³ / ₄ " X 7 ³ / ₄ "	200
FloodVENT® Overhead Door	1540-524	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT® Overhead Door	1540-514	15 ³ / ₄ " X 7 ³ / ₄ "	200
Wood Wall FloodVENT [®]	1540-570	14" X 8 ³ / ₄ "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 ³ / ₄ "	200
SmartVENT® Stacker	1540-511	16" X 16"	400
:sy FloodVent [®] Stacker	1540-521	16" X 16"	400

For St: 1 inch = 25.4 mm; 1 square foot = m^2

NGAARAR

....




FIGURE 1-SMART VENT: MODEL 1540-510