#### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

## **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION			FOR INSUF	RANCE COMPANY USE
A1. Building Owner's Name ROBERT HIMMELSTEIN				ber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 9331 THIRD AVENUE				AIC Number:
City STONE HARBOR BOROUGH				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 119, BLOCK 93.04				
A4. Building Use (e.g., Residential, Non-Residential, Ado	dition, Accessory, e	tc.) NON-RESID	ENTIAL	
A5. Latitude/Longitude: Lat. 39-03-22 Lo	ng. <u>-74-45-35</u>	Horizontal Da	atum: 🗌 NAD 1	927 NAD 1983
A6. Attach at least 2 photographs of the building if the Ce	ertificate is being us	sed to obtain flood in	surance.	
A7. Building Diagram Number1A				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s)		603.20 sq ft		
b) Number of permanent flood openings in the crawls	space or enclosure	(s) within 1.0 foot ab	ove adjacent gra	ide 6
c) Total net area of flood openings in A8.b	1200.00 sq in			
d) Engincered flood openings? Yes X No				
A9. For a building with an attached garage:				
a) Square footage of attached garage				
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 0				
c) Total net area of flood openings in A9.b 0.00 sq in				
d) Engineered flood openings?   Yes   No				
OFOTION D. ELOOD INCUDANCE DATE MAD (FIDM) INFORMATION				
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION  B1. NFIP Community Name & Community Number B2. County Name B3. State				
STONE HARBOR BORO-345323	CAPE MAY			New Jersey
B4. Map/Panel B5. Suffix B6. FIRM Index Date B7	7. FIRM Panel Effective/ Revised Date	B8. Flood EZone(s)	39. Base Flood E (Zone AO, us	Elevation(s) e Base Flood Depth)
345323-0242 F 10-05-2017 10	0-05-2017	AE 9	) <sup>,</sup>	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:  ☐ FIS Profile ☑ FIRM ☐ Community Determined ☐ Other/Source:				
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 X NAVD 1988 Other/Source:				
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?   Yes   No				
Designation Date: CBRS OPA				

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 9331 THIRD AVENUE	Policy Number:	
City State ZIP Code STONE HARBOR BOROUGH New Jersey 08247	Company NAIC Number	
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY RE	EQUIRED)	
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction Prawings*  Building Under Construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerty Benchmark Utilized:  TRIMBLE VRS  Vertical Datum: NAVD 1988  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other/Source:  Datum used for building elevations must be the same as that used for the BFE.  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (HAG)	action*	
h) Lowest adjacent grade at lowest elevation of deck or stairs, including		
structural support	4.7 X feet meters	
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFI  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by I certify that the information on this Certificate represents my best efforts to interpret the data availa statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes No  Certifier's Name  License Number	law to certify elevation information.	
STEVEN R. KELLY PLS PP 22714  Title		
PROFESSIONAL LAND SURVEYOR  Company Name KELLY SURVEY  Address PO BOX 24  City State ZIP-Code MEDFORD New Jersey 08055	Place Seal Here	
Signature Date Telephone	Ext.	
07-07-2020 (609) 517-5177		
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance at Comments (including type of equipment and location, per C2(e), if applicable)  A8b:THERE ARE 6 SMART ENGINEERED FLOOD VENTS MODEL 1540-524 PROPERLY INSTATENCLOSURE. C2e: REGULAR BUILDING MECHANICALS ELEVATION=9.1'		

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, a 9331 THIRD AVENUE	and/or Bldg. No.) or P	.O. Route and Box No.	Policy Number:
City STONE HARBOR BOROUGH	State New Jersey	ZIP Code 08247	Company NAIC Number
SECTION E – BUILDING I FOR ZO	ELEVATION INFOR	MATION (SURVEY NOT A (WITHOUT BFE)	T REQUIRED)
For Zones AO and A (without BFE), complete Items complete Sections A, B,and C. For Items E1–E4, use enter meters.	E1–E5. If the Certifica e natural grade, if ava	ate is intended to support ilable. Check the measure	a LOMA or LOMR-F request, ement used. In Puerto Rico only,
E1. Provide elevation information for the following a the highest adjacent grade (HAG) and the lowest a) Top of bottom floor (including basement,	nd check the appropri st adjacent grade (LA	ate boxes to show whether G).	
crawlspace, or enclosure) is	e e e e e e e e e e e e e e e e e e e		ers  above or  below the HAG.
<ul> <li>b) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> </ul>		feet mete	ers above or below the LAG.
E2. For Building Diagrams 6-9 with permanent floor	d openings provided in	n Section A Items 8 and/o	r 9 (see pages 1–2 of Instructions),
the next higher floor (elevation C2.b in the diagrams) of the building is	Assertable	feet mete	ers above or below the HAG.
E3. Attached garage (top of slab) is		feet  mete	ers above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		feet mete	ers  above or below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	able, is the top of the I	bottom floor elevated in a n. The local official must	ccordance with the community's certify this information in Section G.
SECTION F - PROPERTY O	WNER (OR OWNER'	S REPRESENTATIVE) C	FRTIFICATION
The property owner or owner's authorized represents community-issued BFE) or Zone AO must sign here.	ative who completes \$	Sections A. B. and E for Z	one A (without a FEMA-issued or
Property Owner or Owner's Authorized Representati		, -,	
Address	Cit	ty S	state ZIP Code
Signature	Da	rte T	elephone
Comments			
			Check here if attachments.

## ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 9331 THIRD AVENUE	Policy Number:			
City State ZIP Code STONE HARBOR BOROUGH New Jersey 08247	Company NAIC Number			
SECTION G - COMMUNITY INFORMATION (OPTIONAL)				
SECTION G – COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.  G1.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.  The following information (Items G4–G10) is provided for community floodplain management purposes.  G4. Permit Number				
G9. BFE or (in Zone AO) depth of flooding at the building site:	meters Datum NAV) 88			
G10. Community's design flood elevation:  Higher of BFE+2 or 11   Feet   meters Datum NAVD88				
Local Official's Name  Raymond Poudrier  Construction Official / Flood Plain Manager  Community Name  Telephone  Stone Harbor  Signature  Date  12/7/2020				
Comments (including type of equipment and location, per C2(e), if applicable)  Not Substantial Improvement  Hovever the addition to the existing struct  Flood proofed as per Certificate received on i  Sciullo Engineering Services LLC	ore has been Dec. 7, 2000 per			
	☐ Check here if attachments.			

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Ur 9331 THIRD AVENUE	it, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
STONE HARBOR BOROUGH	New Jersey	08247	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption RIGHT FRONT 07-07-2020

Clear Photo One



Photo Two

Photo Two Caption LEFT FRONT 07-07-2020

Clear Photo Two

# BUILDING PHOTOGRAPHS

**ELEVATION CERTIFICATE** 

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the	corresponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Un 9331 THIRD AVENUE	it, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
STONE HARBOR BOROUGH	New Jersey	08247	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three Caption LEFT REAR 07-07-2020

Clear Photo Three



Photo Four Caption RIGHT REAR 07-07-2020

Clear Photo Four



### ICC-ES Evaluation Report

**ESR-2074** 

Reissued February 2019

This report is subject to renewal February 2021.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

**DIVISION: 08 00 00—OPENINGS** 

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

#### **EVALUATION SUBJECT:**

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511: #1540-570: #1540-574: #1540-524: #1540-514 FLOOD VENT SEALING KIT #1540-526

#### 1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2018, 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2018 International Energy Conservation Code® (IECC)
- 2013 Abu Dhabi International Building Code (ADIBC)<sup>†</sup>

<sup>†</sup>The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

#### Properties evaluated:

- Physical operation
- Water flow

#### 2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

#### 3.0 DESCRIPTION

#### 3.1 General:

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces.

Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

#### 3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

#### 3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with 1/4-inch-by-1/4-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm<sup>2</sup>) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

#### 3.4 Flood Vent Sealing Kit:

The Flood Vent Sealing Kit Model #1540-526 is used with SmartVENT® Model #1540-520. It is a Homasote 440 Sound Barrier® (ESR-1374) insert with 21 - 2-inch-by-2inch (51 mm x 51 mm) squares cut in it. See Figure 4.

#### 4.0 DESIGN AND INSTALLATION

#### 4.1 SmartVENT® and FloodVENT®:

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square



**Most Widely Accepted and Trusted** 

## **ICC-ES Evaluation Report**

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

**ESR-2074** 

Reissued 02/2019
This report is subject to renewal 02/2021.

DIVISION: 08 00 00—OPENINGS

SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

OCT O 2020
OCT O 2020
OCT O 2020
BOROUCH OF STONE HARBOR
BOROUCH OF STONE HARBOR

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

#### **EVALUATION SUBJECT:**

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS:

MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574;

#1540-524; #1540-514

FLOOD VENT SEALING KIT #1540-526



"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"

iary of CODE COUNCIL

A Subsidiary of CODE

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

