# U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

## ELEVATION CERTIFICATE Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

<del></del>	SEC	TION A - PROPERT	TY INFO		,		<del></del>	JEANOE SOURCE
A1. Building Owr		THOI LIVE	-	MIATION			Policy Nu	JRANCE COMPANY USE
Hodges, Elizabeti							1 Olloy 140	ilber.
A2. Building Stre Box No. 221 98th Street	et Address (i	ncluding Apt., Unit, Su	uite, and/	or Bldg. No.)	or P.O.	Route and	Company	NAIC Number:
City STONE HARI				State New Je			ZIP Code 08247	
A3. Property Des BLOCK: 98.03 LC		and Block Numbers, 7 3.01	ax Parce	Number, L	egal De	scription, e	tc.)	
A4. Building Use	(e.g., Reside	ntial, Non-Residential	, Additior	n, Accessory,	etc.)	RESIDEN	NTIAL	
A5. Latitude/Long				74.7605				1927 🗵 NAD 1983
A6. Attach at leas	- it 2 photogra <sub>l</sub>	ohs of the building if th	_		used to			1921 [V] IAVD 1903
A7. Building Diagi				ou.o 10 5011.g	0000 10	ODIGITIO	d madrance,	
-		pace or enclosure(s)	•					
		Ispace or enclosure(s			1366.0	n sa ft		
		ood openings in the c	· —				tabaya adinaant	
		penings in A8.b		1400.00 sqi		1.0 100	t above adjacent gr	ade /
d) Engineered		<del></del>		1400.00 SQ I	1			
			NO					
A9. For a building								
a) Square fool	tage of attach	ned garage		N/A sq f	t			
b) Number of	permanent fle	ood openings in the at	ttached g	arage within	1.0 foo	t above adj	acent grade N/A	
c) Total net an	ea of flood o	penings in A9.b		N/A so	in			
d) Engineered	flood openin	gs? ☐ Yes ☐ I	No					
· -								
		CTION B - FLOOD	INSURA	NCE RATE	MAP (	FIRM) INF	ORMATION	
B1. NFIP Commun BOROUGH OF ST		ommunity Number DR-345323		B2. County CAPE MAY				B3. State New Jersey
34. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	M Panel ective/ vised Date	B8. Fi Zone(	- 1	B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)
34009C0242	F	10-05-2017	10-05-2		AE		8	
☐ FIS Profile	∍ ⊠ FIRM	Base Flood Elevation Community Determined for BFE in Item B	mined [ 9: [] No	] Other/Sou	rce: NAV	/D 1988	Other/Source:	
		Coastal Barrier Reso	urces Sy	stem (CBRS	) area c	r Otherwise	e Protected Area (C	PPA)? ☐ Yes ☒ No
Designation E	)ate:		CBRS	☐ OPA				
MA Form 086-0-33	(10/10)		<del></del>	م مدر شمر م			<del></del>	

a) Square for	otage of attac	hed garage		N/A sq f	t		
b) Number of	permanent fl	ood openings in the at	tached g	arage within	1.0 foot above a	djacent grade N/A	
c) Total net a	rea of flood o	penings in A9.b		N/A sq	in		
d) Engineere	d flood openir	ngs? 🗌 Yes 🔲 I	No				
	<b>S</b> 1	ECTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM) IN	FORMATION	
B1. NFIP Commu BOROUGH OF S		Community Number OR-345323		B2. County CAPE MAY			B3. State New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Dep	
34009C0242	F	10-05-2017	10-05-2	2017	AE	8	
	<u> </u>		L			_	
B10. Indicate the FIS Profi	e 区 FIRM ration datum u		mined [ 9:  No urces Sy	Other/Sou	rce:	Other/Source	: (OPA)?



## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

					1101011001 00, 202
IMPORTANT: In these spaces, copy t	PORTANT: In these spaces, copy the corresponding information from Section A.				
221 98th Street	Unit, Suite, and/or Bidg. No.) or P.O. R	oute and Box No.	Policy	/ Number:	
City STONE HARBOR		P Code 3247	Comp	any NAIC	Number
SECTION C	- BUILDING ELEVATION INFORMA	ATION (SURVEY F	REQUIR	ED)	
C1. Building elevations are based on.		uilding Under Const	_		hed Construction
	e required when construction of the buil	ding is complete.		-	
C2. Elevations – Zones A1–A30, AE, Complete Items C2.a–h below ac Benchmark Utilized: GPS	AH, A (with BFE), VE, V1–V30, V (with coording to the building diagram specified Vertical Datum	d in Item A7. In Pue	R/AE, AR rto Rico	VA1-A30, A	AR/AH, AR/AO. meters.
	the elevations in items a) through h) bel 0 1988	ow.			
Datum used for building elevation	s must be the same as that used for the	BFE.			
					easurement used.
	basement, crawlspace, or enclosure floo	or)	8.1	x feet	meters
b) Top of the next higher floor		<u> </u>	11.0	⊠ feet —	∐ meters
	l structural member (V Zones only)		N/A	⊠ feet	meters
d) Attached garage (top of slab)			<u>N/A</u>	★ feet	meters
<ul> <li>e) Lowest elevation of machinery (Describe type of equipment at</li> </ul>	or equipment servicing the building nd location in Comments)		17.0	⊠ feet	☐ meters
f) Lowest adjacent (finished) grad	•		7.5	_ ⋉ feet	☐ meters
g) Highest adjacent (finished) gra	• , ,		8.1	ズ feet	☐ meters
	st elevation of deck or stairs, including	,	7.1	⊠ feet	meters
	D – SURVEYOR, ENGINEER, OR AR	CHITECT CEDTIE			
					ation information
statement may be punishable by line o	ealed by a land surveyor, engineer, or an tificate represents my best efforts to inte r imprisonment under 18 U.S. Code, Sec	ction 1001.	able. I un	derstand ti	hat any false
Were latitude and longitude in Section	A provided by a licensed land surveyor?	⊠ Yes □ No		Check here	if attachments.
Certifier's Name THOMAS R. DENEKA	License Number 35828				
Title			-		
PLS					ace
Company Name THE HYLAND GROUP					eal
Address			_		
701 WEST AVENUE SUITE 301				* 8   ` }	
City	State	ZIP Code	$\dashv$		
OCEAN CITY	New Jersey	08226			
Signature Morras Lancka	Date 06-22-2022	Telephone (609) 398-4477	Ext.		
Copy all pages of this Elevation Certificat	e and all attachments for (1) community or	fficial, (2) insurance a	agent/cor	npany, and	(3) building owner
Comments (including type of equipment					· · ·
MA Form 086-0-33 (12/19)	Replaces all previous editio	ins.	<u>.                                    </u>		Form Page 2 of 6

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information		FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or 221 98th Street	r P.O. Route and Box No.	Policy Number:
City State STONE HARBOR New Jersey	ZIP Code 08247	Company NAIC Number
SECTION E – BUILDING ELEVATION INFO FOR ZONE AO AND ZON	DRMATION (SURVEY NOT IE A (WITHOUT BFE)	REQUIRED)
For Zones AO and A (without BFE), complete Items E1–E5. If the Certicomplete Sections A, B,and C. For Items E1–E4, use natural grade, if a enter meters.	ficate is intended to support a vailable. Check the measure	a LOMA or LOMR-F request, ement used. In Puerto Rico only,
E1. Provide elevation information for the following and check the approach the highest adjacent grade (HAG) and the lowest grade (HAG) and the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade (HAG) and the lowest grade (HAG) and the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade (HAG) and the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade (HAG) are the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade (HAG) and the lowest grade (HAG) are the lowest grade	priate boxes to show whethe _AG).	er the elevation is above or below
crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is		
E2. For Building Diagrams 6–9 with permanent flood openings provided the next higher floor (elevation C2.b in		<del></del>
the diagrams) of the building is	feet mete	rs above or below the HAG.
E3. Attached garage (top of slab) is	feet meter	rs 🔲 above or 🔲 below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		rs above or below the HAG.
E5. Zone AO only: If no flood depth number is available, is the top of the floodplain management ordinance?   Yes  No  Unknown	e bottom floor elevated in acown. The local official must	cordance with the community's certify this information in Section G.
SECTION F - PROPERTY OWNER (OR OWNE	R'S REPRESENTATIVE) CE	RTIFICATION
The property owner or owner's authorized representative who complete community-issued BFE) or Zone AO must sign here. The statements in	s Sections A, B, and E for Zo Sections A, B, and E are cor	ne A (without a FEMA-issued or rect to the best of my knowledge.
Property Owner or Owner's Authorized Representative's Name		
Address	City St.	ate ZIP Code
Signature	Date Te	lephone
Comments		
		Charleban W. Marker
FEMA Form 086-0-33 (12/19) Replaces all previo	ous aditions	Check here if attachments.

Form 086-0-33 (12/19)  Replaces all previous editions		☐ Check here	e if attachments.  Form Page 3 of 6
			•
ments			
ature Date	Telep	hone	
ess City	State	<del></del>	ZIP Code
property owner or owner's authorized representative who completes Sections nunity-issued BFE) or Zone AO must sign here. The statements in Sections A erty Owner or Owner's Authorized Representative's Name	A, B, and E for Zone , B, and E are correc	A (without a FEI t to the best of m	VIA-issued or iy knowledge.
SECTION F – PROPERTY OWNER (OR OWNER'S REPR			
Zone AO only: If no flood depth number is available, is the top of the bottom fi floodplain management ordinance?	oor elevated in accor ocal official must cer	dance with the c tify this information	ommunity's on in Section G.
Top of platform of machinery and/or equipment servicing the building is	☐ feet ☐ meters		below the HAG.
Attached garage (top of slab) is	☐ feet ☐ meters	above or	below the HAG.
For Building Diagrams 6–9 with permanent flood openings provided in Sectior the next higher floor (elevation C2.b in the diagrams) of the building is	n A Items 8 and/or 9 (		of Instructions),
b) Top of bottom floor (including basement, crawlspace, or enclosure) is	☐ feet ☐ meters		below the LAG.

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S 221 98th Street	uite, and/or Bldg. No.)	or P.O. Route and Bo	x No. Policy Number:
City STONE HARBOR	State New Jersey	ZIP Code 08247	Company NAIC Number
SECTION	ON G - COMMUNITY	INFORMATION (OP)	IONAL)
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete ter meters.	the applicable item(s	and sign below. Check the measurement
data in the Comments area below.)	ed by law to certify ele	vation information. (I	dicate the source and date of the elevation
or Zone AO.	on E for a building loca	ated in Zone A (witho	t a FEMA-issued or community-issued BFE)
G3. The following information (Items G4-	·G10) is provided for co	ommunity floodplain n	nanagement purposes.
G4. Permit Number	G5. Date Permit Issu	ued	G6. Date Certificate of
21-815	9/27/2	)	Compliance/Occupancy Issued  Y 30-12
G7. This permit has been issued for:	New Construction	Substantial Improve	
G8. Elevation of as-built lowest floor (including of the building:		.0	☐ feet ☐ meters Datum NAVD 88
G9. BFE or (in Zone AO) depth of flooding at t	he building site: A	E 8	The feet meters Datum NAVD 88
G10. Community's design flood elevation:	Higher of BFE	+2 00 11	M feet meters Datum
Local Official's Name Raymond Poudrier	Construction O	Title	Plain Manager
Community Name	CORSHIVETON	Telephone	Them I wanted
Stone Harbor	609- 368	7-6814	
Signature PM-	2/23/2	Date	
Comments (including type of equipment and loc	ation, per C2(e), if app	licable)	
			Check here if attachments.
FEMA Form 086-0-33 (12/19)	Replaces all prev	vious editions.	Form Page 4 of 6

work iunity Na	Poudrier	Construction Official	Flood	Plain	Manager
		Telephoné			
	Harbor	609-368-6814			
and l	Ph-	Date 7/23/み ent and location, per C2(e), if applicable)			
ents (inc	luding type of equipme	ent and location, per C2(e), if applicable)			· · · · · · · · · · · · · · · · · · ·
					☐ Check here if attachments.
	3-0-33 (12/19)	Replaces all previous editions	S.		Form Page 4 or

## **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

			Expiration Date. November 30, 2022
IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including A 221 98th Street	Policy Number:		
City STONE HARBOR	State New Jersey	ZIP Code 08247	Company NAIC Number
			E

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



talp (Ina

Photo One Caption FRONT VIEW 06-22-2022

Clear Photo One




Photo Two

Photo Two Caption LEFT SIDE VIEW 06-22-2022

Clear Photo Two

FEMA Form 086-0-33 (12/19)

Replaces all previous editions.

Form Page 5 of 6



## **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE				
Building Street Address (including A 221 98th Street	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 221 98th Street				
City STONE HARBOR	State New Jersey	ZIP Code 08247	Company NAIC Number		

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption REAR VIEW 06-22-2022

Clear Photo Three



Photo Four Caption RIGHT SIDE VIEW 06-22-2022


Clear Photo Four

FEMA Form 036-0-33 (12/19)

Replaces all previous editions.

Form Page 6 of 6





DIVISION: 08 00 00—OPENINGS
SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

#### **REPORT HOLDER:**

## SMART VENT PRODUCTS, INC.

#### **EVALUATION SUBJECT:**

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS:
MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574;
#1540-524; #1540-514
FLOOD VENT SEALING KIT #1540-526



"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"



A Subsidiary of CODE COUNCIL

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



Copyright <sup>9</sup> 2019 ICC Evaluation Service, LLC. All rights reserved.

ESR-2074 | Most Widely Accepted and Trusted

Page 2 of 5

feet (18.6 m<sup>2</sup>) of enclosed area, except that the SmartVENT<sup>®</sup> Stacking Model #1540-511 and FloodVENT<sup>®</sup> Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m<sup>2</sup>) of enclosed area.

- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

#### 4.2 Flood Vent Sealing Kit

The Flood Vent Sealing Kit Model 1540-526 is used in conjunction with FloodVENT® Model #1540-520. When installed and tested in accordance with ASTM E283, the FV and Flood Vent Sealing Kit assembly have an air leakage rate of less than 0.2 cubic feet per minute per lineal foot (18.56 l/min per lineal meter) at a pressure differential of 1 pound per square foot (50 Pa) based on 12.58 lineal feet (3.8 lineal meters) contained by the Flood Vent Sealing Kit.

#### 5.0 CONDITIONS OF USE

The Smart Vent<sup>®</sup> FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent® FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern. 5.2 The Smart Vent<sup>®</sup> FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

#### 6.0 EVIDENCE SUBMITTED

- 6.1 Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised October 2017).
- **6.2** Test report on air infiltration in accordance with ASTM E283.

#### 7.0 IDENTIFICATION

- 7.1 The Smart VENT® models and the Flood Vent Sealing Kit recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).
- 7.2 The report holder's contact information is the following:

SMART VENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

#### TABLE 1-MODEL SIZES

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT®	1540-520	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
SmartVENT <sup>®</sup>	1540-510	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
FloodVENT® Overhead Door	1540-524	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
SmartVENT® Overhead Door	1540-514	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200
Wood Wall FloodVENT®	1540-570	14" X 8 <sup>3</sup> / <sub>4</sub> "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 <sup>3</sup> / <sub>4</sub> "	200
SmartVENT® Stacker	1540-511	16" X 16"	400
FloodVent® Stacker	1540-521	16" X 16"	400

For SI: 1 inch = 25.4 mm; 1 square foot =  $m^2$ 




FIGURE 1—SMART VENT: MODEL 1540-510



Most Widely Accepted and Trusted

### **ICC-ES Evaluation Report**

## **ESR-2074 CBC and CRC Supplement**

Reissued February 2019

This report is subject to renewal February 2021.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

**EVALUATION SUBJECT:** 

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514
FLOOD VENT SEALING KIT #1540-526

#### 1.0 REPORT PURPOSE AND SCOPE

#### Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent<sup>®</sup> Automatic Foundation Flood Vents, recognized in ICC-ES master evaluation report ESR-2074, have also been evaluated for compliance with codes noted below.

#### Applicable code edition:

- 2016 California Building Code (CBC)
- # 2016 California Residential Code (CRC)

#### 2.0 CONCLUSIONS

#### 2.1 CBC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the master evaluation report ESR-2074, comply with 2016 CBC Chapter 12, provided the design and installation are in accordance with the 2015 *International Building Code*® (IBC) provisions noted in the master report and the additional requirements of CBC Chapters 12, 16 and 16A, as applicable.

The products recognized in this supplement have not been evaluated under CBC Chapter 7A for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Fire Area.

#### 2.2 CRC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the master evaluation report ESR-2074, comply with the 2016 CRC, provided the design and installation are in accordance with the 2015 *International Residential Code®* (IRC) provisions noted in the master report.

The products recognized in this supplement have not been evaluated under 2016 CRC Chapter R337, for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Fire Area.

The products recognized in this supplement have not been evaluated for compliance with the International Wildland-Urban Interface Code<sup>®</sup>.

This supplement expires concurrently with the master report, reissued February 2019.

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



Copyright @ 2019 ICC Evaluation Service, LLC. All rights reserved.

